


### SLANGER HALOGENFRI




Isoleringstykkelse 9 mm				Isoleringstykkelse 13 mm			
Artikelnr.	Dimension	m/ kart	DKK / m.	Artikelnr.	Dimension	m/ kart	DKK / m.
8603909010	09 x 10	266	59,50	8603913010	13 x 10	172	79,75
8603909012	09 x 12	234	62,28	8603913012	13 x 12	162	85,45
8603909015	09 x 15	192	73,39	8603913015	13 x 15	136	95,00
8603909018	09 x 18	166	76,90	8603913018	13 x 18	118	98,95
8603909022	09 x 22	136	78,00	8603913022	13 x 22	98	104,50
8603909028	09 x 28	98	97,83	8603913028	13 x 28	78	144,45
8603909035	09 x 35	76	110,25	8603913035	13 x 35	58	146,95
8603909042	09 x 42	60	136,25	8603913042	13 x 42	48	173,34
8603909048	09 x 48	50	152,35	8603913048	13 x 48	40	192,85
8603909054	09 x 54	46	156,25	8603913054	13 x 54	34	231,75
8603909060	09 x 60	46	162,52	8603913060	13 x 60	32	270,70
8603909076	09 x 76	40	170,33	8603913076	13 x 76	26	331,18
8603909089	09 x 89	36	180,00	8603913089	13 x 89	24	407,50
				8603913114	13 x 114	16	495,22

Vi tager forbehold for fejl

Isoglobal, Rellerriege 26, DE-33161 Hövelhof  
[www.isoglobal.dk](http://www.isoglobal.dk)


### SLANGER HALOGENFRI



Isoleringstykkelse 19 mm				Isoleringstykkelse 25 mm			
Artikelnr.	Dimension	m/ kart	DKK / m.	Artikelnr.	Dimension	m/ kart	DKK / m.
8603919010	19 x 10	98	143,50				
8603919012	19 x 12	88	148,25	8603925018	25 x 18	50	356,25
8603919015	19 x 15	78	187,25	8603925022	25 x 22	42	420,82
8603919018	19 x 18	72	194,35	8603925028	25 x 28	40	443,25
8603919022	19 x 22	64	225,30	8603925035	25 x 35	24	495,75
8603919028	19 x 28	48	252,40	8603925042	25 x 42	22	618,45
8603919035	19 x 35	36	297,75	8603925048	25 x 48	18	687,25
8603919042	19 x 42	32	381,00	8603925054	25 x 54	16	773,11
8603919048	19 x 48	24	427,40	8603925060	25 x 60	12	818,40
8603919054	19 x 54	24	466,45				
8603919060	19 x 60	22	527,45				
8603919076	19 x 76	18	668,50	8603925076	25 x 76	10	1134,37
8603919089	19 x 89	14	736,45	8603925089	25 x 89	8	1384,80
8603919114	19 x 114	12	943,00	8603925114	25 x 114	6	1773,85

Vi tager forbehold for fejl

Isoglobal, Rellerriege 26, DE-33161 Hövelhof  
[www.isoglobal.dk](http://www.isoglobal.dk)



### SLANGER HALOGENFRI

Isoleringstykkelse 32 mm			
Artikelnr.	Dimension	m/ kart	DKK/ m.
8603932018	32 x 18	32	424,40
8603932022	32 x 22	32	523,70
8603932028	32 x 28	24	568,65
8603932035	32 x 35	22	625,20
8603932042	32 x 42	16	773,75
8603932048	32 x 48	14	856,75
8603932054	32 x 54	12	986,70
8603932060	32 x 60	10	1062,00
8603932076	32 x 76	8	1285,60
8603932089	32 x 89	8	1438,80
8603932114	32 x 114	6	2149,28


### PLADER HALOGENFRI

Plader i rulle			
Artikelnr.	Dimension	m/ kart	DKK/ m <sup>2</sup>
8533917006	6 mm	30	375,95
8533917010	10 mm	20	588,37
8533917013	13 mm	14	711,50
8533917019	19 mm	10	939,90
8533917025	25 mm	8	1169,25
8533917032	32 mm	6	1565,86

Vi tager forbehold for fejl

Isoglobal, Rellerriege 26, DE-33161 Hövelhof  
[www.isoglobal.dk](http://www.isoglobal.dk)



Tekniske egenskab	Resultat	Testmetode
Temperaturområde*	Slanger -45°C - +110°C Plader & tape -40°C - +85°C	EN 14707 EN 14706
Varmeledningsevne $\lambda$ Ved en middeltemperatur = +0°C	$\leq 0,036$ W/m·K	EN 12667 / EN ISO 8497
Vanddampdiffusionmodstand	$\geq 2000$	EN 13469 / EN 12086
Brandklasse	Slanger 6-25 mm DL - s2- d0 slanger 32 mm E plader E	EN 13501-1
Jernbane	HL-1 (lav emmission, lav toksisitet i tilfælde af brand)	EN TS 45545
Marine 	Opfylder kravene	IMO Resolution A.653 (16)
Ozonbestandig	Meget god	ISO 7326
UV Bestandig	Meget god	UNI ISO 4892-2
Antimicrobial	Opfylder kravene	AATCC test metode 30-2004
Risiko for korrosion	Opfylder kravene	EN 13468



Vi tager forbehold for fejl

Isoglobal, Rellerriege 26, DE-33161 Hövelhof  
www.isoglobal.dk